

TECHNICAL SHEET

1707-24 LARGE OPEN

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 24V

Source: LED 19W

Color Temperature: 3000K / 2700K

Cable RAL: 9005



1707-22 MINI OPEN

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 24V

Source: LED 8W

Color Temperature: 3000K / 2700K

Cable RAL: 9005



Rosoni / Canopies

1907-90 CANOPY TYPE C (CLIP LARGE)

Mounting: a soffitto / ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Lighting Control: Dimmable 0-10V



1707-91 CANOPY TYPE F (CLIP MINI)

Mounting: a soffitto / ceiling

Environment: Indoor - IP20


Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Lighting Control: On-off / Dimmable 0-10V



Clip Mini installabili su Rosone Barra type K
Clip mini installable on Bar canopy type K



Finiture / Finishes

Struttura / Structure



Nero opaco
Matt black



Oro opaco
Matt gold



Blu
Blue



Arancione
Orange



Bronzo opaco
Matt bronze

NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.

Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.

Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.

Qualsiasi installazione non autorizzata non viene giudicata conforme.

Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.

The reverse is also true: rosettes, multiple plates and bar canopies cannot be sold separately from pendants.

All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.

Any unauthorized installation will not be deemed compliant.

Check max H dimension in the illustrative drawing.

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1707-24-0600-N4NE	large suspension	oro opaco / matt gold		cavo / wire 4 mt 3000K
1707-24-0600-N4WE	large suspension	oro opaco / matt gold		cavo / wire 4 mt 2700K
1707-24-0600-N2NE	large suspension	oro opaco / matt gold		cavo / wire 2 mt 3000K
1707-24-0600-N2WE	large suspension	oro opaco / matt gold		cavo / wire 2 mt 2700K
1707-24-1100-N4NE	large suspension	nero opaco / matt black		cavo / wire 4 mt 3000K
1707-24-1100-N4WE	large suspension	nero opaco / matt black		cavo / wire 4 mt* 2700K
1707-24-1100-N2NE	large suspension	nero opaco / matt black		cavo / wire 2 mt 3000K
1707-24-1100-N2WE	large suspension	nero opaco / matt black		cavo / wire 2 mt 2700K
1707-24-1600-N4NE	large suspension	bronzo opaco / matt bronze		cavo / wire 4 mt 3000K
1707-24-1600-N4WE	large suspension	bronzo opaco / matt bronze		cavo / wire 4 mt 2700K
1707-24-1600-N2NE	large suspension	bronzo opaco / matt bronze		cavo / wire 2 mt 3000K
1707-24-1600-N2WE	large suspension	bronzo opaco / matt bronze		cavo / wire 2 mt 2700K
1707-24-4200-N4NE	large suspension	blu / blue		cavo / wire 4 mt 3000K
1707-24-4200-N4WE	large suspension	blu / blue		cavo / wire 4 mt 2700K
1707-24-4200-N2NE	large suspension	blu / blue		cavo / wire 2 mt 3000K
1707-24-4200-N2WE	large suspension	blu / blue		cavo / wire 2 mt 2700K
1707-24-4300-N4NE	large suspension	arancione / orange		cavo / wire 4 mt 3000K
1707-24-4300-N4WE	large suspension	arancione / orange		cavo / wire 4 mt 2700K
1707-24-4300-N2NE	large suspension	arancione / orange		cavo / wire 2 mt 3000K
1707-24-4300-N2WE	large suspension	arancione / orange		cavo / wire 2 mt 2700K
1707-22-0600-N4NE	mini suspension	oro opaco / matt gold		cavo / wire 4 mt 3000K
1707-22-0600-N4WE	mini suspension	oro opaco / matt gold		cavo / wire 4 mt 2700K
1707-22-0600-N2NE	mini suspension	oro opaco / matt gold		cavo / wire 2 mt 3000K
1707-22-0600-N2WE	mini suspension	oro opaco / matt gold		cavo / wire 2 mt 2700K
1707-22-1100-N4NE	mini suspension	nero opaco / matt black		cavo / wire 4 mt 3000K
1707-22-1100-N4WE	mini suspension	nero opaco / matt black		cavo / wire 4 mt 2700K
1707-22-1100-N2NE	mini suspension	nero opaco / matt black		cavo / wire 2 mt 3000K
1707-22-1100-N2WE	mini suspension	nero opaco / matt black		cavo / wire 2 mt 2700K
1707-22-1600-N4NE	mini suspension	bronzo opaco / matt bronze		cavo / wire 4 mt 3000K
1707-22-1600-N4WE	mini suspension	bronzo opaco / matt bronze		cavo / wire 4 mt 2700K

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1707-22-1600-N2NE	mini suspension	bronzo opaco / matt bronze		cavo / wire 2 mt 3000K
1707-22-1600-N2WE	mini suspension	bronzo opaco / matt bronze		cavo / wire 2 mt 2700K
1707-22-4200-N4NE	mini suspension	blu / blue		cavo / wire 4 mt 3000K
1707-22-4200-N4WE	mini suspension	blu / blue		cavo / wire 4 mt 2700K
1707-22-4200-N2NE	mini suspension	blu / blue		cavo / wire 2 mt 3000K
1707-22-4200-N2WE	mini suspension	blu / blue		cavo / wire 2 mt 2700K
1707-22-4300-N4NE	mini suspension	arancione / orange		cavo / wire 4 mt 3000K
1707-22-4300-N4WE	mini suspension	arancione / orange		cavo / wire 4 mt 2700K
1707-22-4300-N2NE	mini suspension	arancione / orange		cavo / wire 2 mt 3000K
1707-22-4300-N2WE	mini suspension	arancione / orange		cavo / wire 2 mt 2700K
1907-90-1100-DXLE	canopy type C - large	nero opaco / matt black		dimmbable 0-10V
1907-90-0600-DXLE	canopy type C - large	oro opaco / matt gold		dimmbable 0-10V
1907-90-0100-DXLE	canopy type C - large	bianco opaco / matt white		dimmbable 0-10V
1707-91-0600-NXLE	canopy type F - mini	oro opaco / matt gold		on-off
1707-91-0600-DXLE	canopy type F - mini	oro opaco / matt gold		dimmbable 0-10V
1707-91-1100-NXLE	canopy type F - mini	nero opaco / matt black		on-off
1707-91-1100-DXLE	canopy type F - mini	nero opaco / matt black		dimmbable 0-10V
1707-91-0100-NXLE	canopy type F - mini	bianco opaco / matt white		on-off
1707-91-0100-DXLE	canopy type F - mini	bianco opaco / matt white		dimmbable 0-10V