

Hang Out Brogliato Traverso 2019



TECHNICAL SHEET

1906-20 SINGLE

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Source: LED 60W - CRI=80

Color Temperature: 3000K / 2700K

Lumen: Up to 1561 lm (direct+indirect light)

Lighting Control: Dimmable 0-10V / DALI



1906 -90 LARGE

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF, Legno e Tessuto / MDF, Wood and Fabric




1906-93 LARGE HORIZONTAL

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF e Legno / MDF and Wood



Finiture / Finishes

Struttura / Structure




Nero opaco
Matt black



Bianco opaco
Matt white

Pannello Frassino / Ash panel



Frassino sbiancato
Bleached ash



Frassino ingrigito
Greyish ash

MDF laccato opaco / Matt laquered MDF Tessuto fonoassorbente / Fabric sound (1906-90 - 1906-95)



Giallo RAL 1003
Yellow RAL 1003



Blu Scuro RAL 5011
Dark Blue RAL 5011



Rosso RAL 3031
Red RAL 3031



Grigio RAL 7035
Grey RAL 7035



Azzuro RAL 5024
Light blue RAL 5024



Tortora RAL 7006
Tortora RAL 7006



Tessuto acustico giallo
Yellow acoustic fabric




Tessuto acustico rosso
Red acoustic fabric



Tessuto acustico blu scuro
Dark blue acoustic fabric



Tessuto acustico azzurro
Light blue acoustic fabric



Tessuto acustico grigio
Grey acoustic fabric



Tessuto acustico tortora
Tortora acoustic fabric

NOTE:

Verificare quota H max nel disegno illustrativo

Check max H dimension in the illustrative drawing

Hang Out Brogliato Traverso 2019



TECHNICAL SHEET

1906-21 DOUBLE

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Source: LED 60W - CRI=80

Color Temperature: 3000K / 2700K

Lumen: Up to 1561 lm (direct+indirect light)

Lighting Control: Dimmable 0-10V / DALI



1906-91 MEDIUM

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF e Legno / MDF and Wood



1906-92 SMALL

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF e Legno / MDF and Wood



1906-95 LARGE VERTICAL

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF, Legno e Tessuto / MDF, Wood and Fabric



1906-94 SMALL VERTICAL

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF e Legno / MDF and Wood



1906-22 NAKED

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal


Voltage: 220-240V 50/60Hz

Source: LED 60W - CRI=80

Color Temperature: 3000K / 2700K

Lumen: Up to 1864 lm (direct+indirect light)

Lighting Control: Dimmable 0-10V / DALI



Finiture / Finishes

Struttura / Structure



Nero opaco
Matt black



Bianco opaco
Matt white

Pannello Frassino / Ash panel



Frassino sbiancato
Bleached ash



Frassino ingrigito
Greyish ash

MDF laccato opaco / Matt laquered MDF Tessuto fonoassorbente / Fabric sound (1906-90 - 1906-95)



Giallo RAL 1003
Yellow RAL 1003



Blu Scuro RAL 5011
Dark Blue RAL 5011



Rosso RAL 3031
Red RAL 3031



Grigio RAL 7035
Grey RAL 7035



Azzuro RAL 5024
Light blue RAL 5024



Tortora RAL 7006
Tortora RAL 7006



Tessuto acustico giallo
Yellow acoustic fabric




Tessuto acustico rosso
Red acoustic fabric



Tessuto acustico blu scuro
Dark blue acoustic fabric



Tessuto acustico azzurro
Light blue acoustic fabric



Tessuto acustico grigio
Grey acoustic fabric



Tessuto acustico tortora
Tortora acoustic fabric

NOTE:

Verificare quota H max nel disegno illustrativo

Check max H dimension in the illustrative drawing

TECHNICAL SHEET

1906-33 LARGE

Mounting: Applique / Wall Lamp

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Source: LED 65W - CRI=80

Color Temperature: 3000K / 2700K

Lumen: Up to 1561 lm (direct+indirect light)

Lighting Control: Dimmable 0-10V / DALI



1906-90 LARGE

Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF, Legno e Tessuto / MDF, Wood and Fabric




1906-93 LARGE HORIZONTAL

Mounting: Pannello / Panel


Environment: Indoor - IP20

Materials: MDF e Legno/ MDF and Wood




1906-33 + 1906-93

1906-33 + 1906-90



L80 x H50
L106 x W 9.5 x H2.6



Ø80
L106 x W 9.5 x H2.6

Finiture / Finishes

Struttura / Structure



Nero opaco
Matt black



Bianco opaco
Matt white

Pannello Frassino / Ash panel



Frassino sbiancato
Bleached ash



Frassino ingrigito
Greyish ash

MDF laccato opaco / Matt laquered MDF Tessuto fonoassorbente / Fabric sound (1906-90 - 1906-95)



Giallo RAL 1003
Yellow RAL 1003



Blu Scuro RAL 5011
Dark Blue RAL 5011



Rosso RAL 3031
Red RAL 3031



Grigio RAL 7035
Grey RAL 7035



Azzuro RAL 5024
Light blue RAL 5024



Tortora RAL 7006
Tortora RAL 7006



Tessuto acustico giallo
Yellow acoustic fabric



Tessuto acustico rosso
Red acoustic fabric



Tessuto acustico blu scuro
Dark blue acoustic fabric



Tessuto acustico azzurro
Light blue acoustic fabric



Tessuto acustico grigio
Grey acoustic fabric



Tessuto acustico tortora
Tortora acoustic fabric

Hang Out Brogliato Traverso 2019



PENTA

TECHNICAL SHEET

1906-31 SMALL

Mounting: Applique / Wall lamp

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Source: LED 40W - CRI=80

Color Temperature: 3000K / 2700K

Lumen: Up to 937 lm (direct+indirect light)

Lighting Control: Dimmable 0-10V / DALI




1906-91 MEDIUM


Mounting: Pannello / Panel

Environment: Indoor - IP20

Materials: MDF e Legno / MDF and Wood



1906-31 +1906-91



L66 xW 9.5 x H2.6 + Ø50

Finiture / Finishes

Struttura / Structure



Nero opaco
Matt black



Bianco opaco
Matt white

Pannello Frassino / Ash panel



Frassino sbiancato
Bleached ash



Frassino ingrigito
Greyish ash

MDF laccato opaco / Matt laquered MDF Tessuto fonoassorbente / Fabric sound (1906-90 - 1906-95)



Giallo RAL 1003
Yellow RAL 1003



Blu Scuro RAL 5011
Dark Blue RAL 5011



Rosso RAL 3031
Red RAL 3031




Grigio RAL 7035
Grey RAL 7035



Azzuro RAL 5024
Light blue RAL 5024



Tortora RAL 7006
Tortora RAL 7006



Tessuto acustico giallo
Yellow acoustic fabric



Tessuto acustico rosso
Red acoustic fabric



Tessuto acustico blu scuro
Dark blue acoustic fabric



Tessuto acustico azzurro
Light blue acoustic fabric



Tessuto acustico grigio
Grey acoustic fabric



Tessuto acustico tortora
Tortora acoustic fabric

CODES

CODICI / CODES MISURA / SIZE STRUTTURA / STRUCTURE DIFFUSORE / SHADE DETTAGLI / DETAILS

| | | | | |
|--------------|-----------------------------|--|--|--|
| 1906-95-L700 | large oval vertical panel | | frassino ingrigito / greying ash wood | |
| 1906-95-L600 | large oval vertical panel | | frassino sbiancato / bleached ash wood | |
| 1906-95-H900 | large oval vertical panel | | tessuto blu scuro / dark blue fabric | |
| 1906-95-H600 | large oval vertical panel | | tessuto azzurro / light blue fabric | |
| 1906-95-H500 | large oval vertical panel | | tessuto tortora / tortora fabric | |
| 1906-95-H300 | large oval vertical panel | | tessuto grigio / grey fabric | |
| 1906-95-H200 | large oval vertical panel | | tessuto rosso / red fabric | |
| 1906-95-H000 | large oval vertical panel | | tessuto giallo / yellow fabric | |
| 1906-95-4100 | large oval vertical panel | | blu scuro / dark blue | |
| 1906-95-3600 | large oval vertical panel | | azzurro / light blue | |
| 1906-95-3500 | large oval vertical panel | | tortora | |
| 1906-95-3300 | large oval vertical panel | | grigio / grey | |
| 1906-95-3100 | large oval vertical panel | | giallo / yellow | |
| 1906-95-1300 | large oval vertical panel | | rosso / red | |
| 1906-94-L700 | small oval vertical panel | | frassino ingrigito / greying ash wood | |
| 1906-94-L600 | small oval vertical panel | | frassino sbiancato / bleached ash wood | |
| 1906-94-4100 | small oval vertical panel | | blu scuro / dark blue | |
| 1906-94-3600 | small oval vertical panel | | azzurro / light blue | |
| 1906-94-3500 | small oval vertical panel | | tortora | |
| 1906-94-3300 | small oval vertical panel | | grigio / grey | |
| 1906-94-3100 | small oval vertical panel | | giallo / yellow | |
| 1906-94-1300 | small oval vertical panel | | rosso / red | |
| 1906-93-L700 | large oval horizontal panel | | frassino ingrigito / greying ash wood | |
| 1906-93-L600 | large oval horizontal panel | | frassino sbiancato / bleached ash wood | |
| 1906-93-4100 | large oval horizontal panel | | blu scuro / dark blue | |
| 1906-93-3600 | large oval horizontal panel | | azzurro / light blue | |
| 1906-93-3500 | large oval horizontal panel | | tortora | |
| 1906-93-3300 | large oval horizontal panel | | grigio / grey | |
| 1906-93-3100 | large oval horizontal panel | | giallo / yellow | |
| 1906-93-1300 | large oval horizontal panel | | rosso / red | |
| 1906-92-L700 | small round panel | | frassino ingrigito / greying ash wood | |
| 1906-92-L600 | small round panel | | frassino sbiancato / bleached ash wood | |
| 1906-92-4100 | small round panel | | blu scuro / dark blue | |
| 1906-92-3600 | small round panel | | azzurro / light blue | |
| 1906-92-3500 | small round panel | | tortora | |
| 1906-92-3300 | small round panel | | grigio / grey | |
| 1906-92-3100 | small round panel | | giallo / yellow | |
| 1906-92-1300 | small round panel | | rosso / red | |
| 1906-91-L700 | medium round panel | | frassino ingrigito / greying ash wood | |

Hang Out Brogliato Traverso

CODES

CODICI / CODES MISURA / SIZE STRUTTURA / STRUCTURE DIFFUSORE / SHADE DETTAGLI / DETAILS

| | | | | |
|-------------------|--------------------|---------------------------|--|----------------------|
| 1906-91-L600 | medium round panel | | frassino sbiancato / bleached ash wood | |
| 1906-91-4100 | medium round panel | | blu scuro / darke blue | |
| 1906-91-3600 | medium round panel | | azzurro / light blue | |
| 1906-91-3500 | medium round panel | | tortora | |
| 1906-91-3300 | medium round panel | | grigio / grey | |
| 1906-91-3100 | medium round panel | | giallo / yellow | |
| 1906-91-1300 | medium round panel | | rosso / red | |
| 1906-90-L700 | large round panel | | frassino ingrigito / greying ash wood | |
| 1906-90-L600 | large round panel | | frassino sbiancato / bleached ash wood | |
| 1906-90-H900 | large round panel | | tessuto blu scuro / dark blue fabric | |
| 1906-90-H600 | large round panel | | tessuto azzurro / light blue fabric | |
| 1906-90-H500 | large round panel | | tessuto tortora / tortora fabric | |
| 1906-90-H300 | large round panel | | tessuto grigio / grey fabric | |
| 1906-90-H200 | large round panel | | tessuto rosso / red fabric | |
| 1906-90-H000 | large round panel | | tessuto giallo / yellow fabric | |
| 1906-90-4100 | large round panel | | blu scuro / dark blue | |
| 1906-90-3600 | large round panel | | azzurro / light blue | |
| 1906-90-3500 | large round panel | | tortora | |
| 1906-90-3300 | large round panel | | grigio / grey | |
| 1906-90-3100 | large round panel | | giallo / yellow | |
| 1906-90-1300 | large round panel | | rosso / red | |
| 1906-33-1100-PXNE | large wall lamp | nero opaco / matt black | | dimmbale DALI 3000K |
| 1906-33-1100-PXWE | large wall lamp | nero opaco / matt black | | dimmbale DALI 2700K |
| 1906-33-1100-DXNE | large wall lamp | nero opaco / matt black | | dimmbale 0-10V 3000K |
| 1906-33-1100-DXWE | large wall lamp | nero opaco / matt black | | dimmbale 0-10V 2700K |
| 1906-33-0100-PXNE | large wall lamp | bianco opaco / matt white | | dimmbale DALI 3000K |
| 1906-33-0100-PXWE | large wall lamp | bianco opaco / matt white | | dimmbale DALI 2700K |
| 1906-33-0100-DXNE | large wall lamp | bianco opaco / matt white | | dimmbale 0-10V 3000K |
| 1906-33-0100-DXWE | large wall lamp | bianco opaco / matt white | | dimmbale 0-10V 2700K |
| 1906-31-1100-PXNE | small wall lamp | nero opaco / matt black | | dimmbale DALI 3000K |
| 1906-31-1100-PXWE | small wall lamp | nero opaco / matt black | | dimmbale DALI 2700K |
| 1906-31-1100-DXNE | small wall lamp | nero opaco / matt black | | dimmbale 0-10V 3000K |
| 1906-31-1100-DXWE | small wall lamp | nero opaco / matt black | | dimmbale 0-10V 2700K |
| 1906-31-0100-PXNE | small wall lamp | bianco opaco / matt white | | dimmbale DALI 3000K |
| 1906-31-0100-PXWE | small wall lamp | bianco opaco / matt white | | dimmbale DALI 2700K |

Hang Out Brogliato Traverso

CODES

CODICI / CODES MISURA / SIZE STRUTTURA / STRUCTURE DIFFUSORE / SHADE DETTAGLI / DETAILS

| | | | | |
|--------------------|-------------------|---------------------------|--|--------------------------|
| 1906-31-0100-DXNE | small wall lamp | bianco opaco / matt white | | dimmmable 0-10V 3000K |
| 1906-31-0100-DXWE | small wall lamp | bianco opaco / matt white | | dimmmable 0-10V 2700K |
| 1906-22-11000-PENE | naked suspension | nero opaco / matt black | | dimmmable DALI 3000K |
| 1906-22-1100-D3NE | naked suspension | nero opaco / matt black | | dimmmable 0-10V 3000K |
| 1906-22-1100-D3WE | naked suspension | nero opaco / matt black | | dimmmable 0-10V 2700K |
| 1906-22-0100-P3NE | naked suspension | bianco opaco / matt white | | dimmmable DALI 3000K |
| 1906-22-0100-P3WE | naked suspension | bianco opaco / matt white | | dimmmable DALI 2700K |
| 1906-22-0100-D3NE | naked suspension | bianco opaco / matt white | | dimmmable 0-10V 3000K |
| 1906-22-0100-D3WE | naked suspension | bianco opaco / matt white | | dimmmable 0-10V 2700K |
| 1906-21-1100-P3NE | double suspension | nero opaco / matt black | | dimmmable DALI 3000K |
| 1906-21-1100-P3WE | double suspension | nero opaco / matt black | | dimmmable DALI 2700K |
| 1906-21-1100-D3NE | double suspension | nero opaco / matt black | | dimmmable 0-10V 3000K |
| 1906-21-1100-D3WE | double suspension | nero opaco / matt black | | dimmmable 0-10V 2700K |
| 1906-21-0100-P3NE | double suspension | bianco opaco / matt white | | dimmmable DALI 3000K |
| 1906-21-0100-P3WE | double suspension | bianco opaco / matt white | | dimmmable DALI 2700K |
| 1906-21-0100-D3NE | double suspension | bianco opaco / matt white | | dimmmable 0-10V 3000K |
| 1906-21-0100-D3WE | double suspension | bianco opaco / matt white | | dimmmable 0-10V 2700K |
| 1906-20-1100-P3NE | single suspension | nero opaco / matt black | | dimmmable DALI 3000K |
| 1906-20-1100-P3WE | single suspension | nero opaco / matt black | | dimmmable DALI 2700K |
| 1906-20-1100-D3NE | single suspension | nero opaco / matt black | | dimmmable 0-10V 3000K |
| 1906-20-1100-D3WE | single suspension | nero opaco / matt black | | dimmmable 0-10V 2700K |
| 1906-20-0100-P3NE | single suspension | bianco opaco / matt white | | dimmmable DALI 3000K |
| 1906-20-0100-P3WE | single suspension | bianco opaco / matt white | | dimmmable DALI 2700K |
| 1906-20-0100-D3NE | single suspension | bianco opaco / matt white | | dimmmable 0-10V 3000K |
| 1906-20-0100-D3WE | single suspension | bianco opaco / matt white | | dimmmable 0-10V 2700K |

